



**SPEAR &
JACKSON**

PRCI
L'outil de pointe



Tiling and Plumbing Tools
THE TOOLS TO TRUST

Spear & Jackson
Since 1760

PRCI was founded in France in 1984, a specialist in tiling and plumbing tools, PRCI is well-known in France and wider International markets, with a portfolio of recognizable brands that includes PRCI, La Carrelette™ and Tile Solutions.

PRCI is proud to now be a part of the Spear & Jackson Group of Companies, Spear & Jackson is a trusted name in hand, garden, and contractor tools, renowned for delivering high-performance products tailored to meet the needs of both demanding professionals and passionate home enthusiasts.

“A legacy of excellence and a portfolio of trusted brands”

With its rich heritage dating back over 260 years to its founding in 1760, Spear & Jackson has applied its extensive expertise to create a portfolio of industry-leading brands and products. This includes Predator® wood saws, Tyzack bricklaying and plastering tools, the Razorsharp® collection of garden cutting tools, and the prestigious Kew Gardens Collection, developed in collaboration with the Royal Botanic Gardens, Kew. Through continuous innovation and craftsmanship, Spear & Jackson has developed an enviable reputation for producing high quality, reliable tools.

“Part of the Spear & Jackson Group”

Spear & Jackson UK is part of the Spear & Jackson Group, which also encompasses brands such as:

- **Moore & Wright** • **Eclipse Magnetics** • **Bowers**
- **Baty** • **Robert Sorby**

With operations in North America, France, China, and Australia, Spear & Jackson continues to innovate by combining cutting-edge technology with traditional materials and manufacturing methods. This commitment ensures our tools maintain the highest standards of quality, durability, and performance, reinforcing our reputation as **the tools to trust for over 260 years.**

Spear & Jackson
Since 1760



Tiling & Plumbing Tools

PRODUCT HIGHLIGHTS



COUPE CARREAUX ELECTRIQUE 450 Watts
See page 15



ARIANE CARRELEC RADIALE R250-1200 mm - 1200 Watts
See page 10



DISQUE DIAMANT ARIANE
Ø180mm, Ø200mm, Ø250mm
See page 18



LA CARRELETTE® PROCOUP 600mm
See page 25



LA CARRELETTE® ULTRA PRO 1200mm
See page 23

CONTENTS

The Company	P2
New Product Highlights	P4
Tiling Products	P6
Electric Tile Cutters	P8
Diamond Blades	P18
Manual Tile Cutters	P20
Cutting Wheels	P28
Electric Mixers	P30
Cordless Electric Beater and Suction Cup	P32
Diamond Drills	P34
Leveling System and Tile Spacers	P36
Tile Markers and Cutters	P44
Tile Saws, Files and Rubbing Stone	P46
Knee Pads, Grout Bags, Magnetic Catch Set and Bucket Shovel	P48
Suction Cups, Tile Holder and Large Spreaders	P50
Plaster Trowels, Tiling Tamper and Mallets	P52
Grout Floats and Squeegees	P54
Tile Cleaning	P56
Tile Finishing	P58
Plumbing Products	P60
Cleaning and Unblocking Tools	P62
Pipe Cutters and Benders	P66
Pipe Connection, Cleaning and Bending Tools	P68
Tap Tools and Basin Wrenches	P70
Pipe Wrenches, Pliers and Crimping Tools	P72

Tiling



Electric Tile Cutters





449312 - ARIANE RADIALE R250-1200

Professional, robust quality and performance

Specifications

- Adjustable rail and cutting head, pivoting from 0° to 45°
- Cuts both floor and wall tiles
- Height-adjustable foot for greater stability
- Easy to transport (removable, foldable feet with two castors)
- Cutting length 1200 mm
- Cutting head with pendulum function for progressive cuts
- Removable extension for cutting large tiles
- Non-slip mat



449312 - ARIANE RADIALE R250-1200

Motor	1000W - 230V - 50Hz
Rotation Speed	3000 rpm
Cutting Length	1200mm
Blade Size	Ø25.4mm
Diagonal Cutting	848 x 848mm
Dimensions	1000 x 460 x 350mm
Weight	59kg
Pack Quantity	1





449012 - ASTRO720 in a box + 2 cutting discs

Professional, robust quality and performance

Specifications

- Portable wet saw
- Switch with lack of tension
- Blade cooling by dipping
- Diagonal cutting guide
- Supplied with a double sided, anti-shock case. Ideal for protection and transportation of the machine
- Supplied with 2 blades:
 - A diamond blade with continuous rim for cutting tiles
 - A turbo disc which cuts the following materials: bricks, concrete tiles, flat tiles, roof tiles, terracotta, slate floors and thin concrete, stone, marble, granite, sandstone (Dry or wet cut)
- CE standards



2
CUTTING DISCS
INCLUDED



Diamond Blades
Ø200mm - Bore Ø 22.2mm



449012 - ASTRO720 in a box + 2 cutting discs

Motor	720W - 230V
Rotation Speed	2800 rpm
Cutting Length	Unlimited
Blade Size	Ø22.2mm
Replacement Blade	DIAMCUT DX - Ø200mm T 560 075 0
Box Dimensions	420 x 385 x 240mm
Weight	12.5kg
Pack Quantity	1



447112 - ARIANE RADIALE 200-620

Professional, robust quality and performance

Specifications

- Tilting rail and head for smooth bevel cuts
- Adjustable lateral stop for repetitive cutting
- Directional set square for precise diagonal cutting
- Spray system (Water pump) keeps blade cool
- Water tray with drain plug for easier cleaning
- PRCI Includes 200mm x 22.2mm Diamond Blade
- Removable stand for easy transport



Adjustable length stop (batch work)

Thermal circuit breaker

Removable legs

Adjustable Square for straight and diagonal cuts

Ball bearing carriage

Ball bearing carriage

CUTTING LENGTH 620mm

447112 - ARIANE RADIALE 200-620

Motor	800W - 230V - 50Hz
Rotation Speed	2950 rpm
Cutting Length	620mm
Blade Size	Ø200mm (Bore Ø22.2mm)
Diagonal Cutting	440mm
Dimensions	940 x 435 x 900
Weight	30kg
Pack Quantity	1




3 280024 493126 >

401112 - T180 ROBUST ALU

Good quality for sustained use

Specifications

- Suitable for all types of work, it cuts both floor and wall tiles
- The large size of its table offers multiple possibilities in terms of tile size
- Aluminium table with machined grooves
- Water tank with drain plug
- Thermal motor protection
- Carrying handle
- Powerful and quiet



Straight Edge

Adjustable Blade Guard with laser

1/2 tray tiltable 15° - 30° or 45°

Water recovery ribbed and grooved tray

Water tank

Graduated Diagonal Cutting Guide

LARGE RIBBED ALUMINIUM TRAY

401112 - T180 ROBUST ALU

Motor	750W - 240V - 50Hz
Rotation Speed	2800 rpm
Blade Size	Ø22.2mm
Diagonal Cutting	848 x 848mm
Dimensions	490 x 550 x 270mm
Weight	16kg
Pack Quantity	1





3 280024 011122 >

443012 - COUPELEC POWER PLUS

Good quality for sustained use

Specifications

- 110 mm diamond blade with continuous rim for extra clean cuts
- Adjustable blade protection
- Effective water recycling system
- Performance engine with an engine torque overdrive
- Special blade for cutting glass (sold separately)
- Double table extension (460 x 310 mm) for cutting large format tiles
- Integral measuring guide and quick release rip guide for perfect straight cuts.
- Flip-up cutting table for 22.5° & 45° mitre cuts
- Fully adjustable mitre guide with unique ratchet mechanism



ALSO CUTS GLASS
(Diamond blade - glass ref. 011022)

443012 - COUPELEC POWER PLUS	
Motor	450W - 240V - 50Hz
Rotation Speed	4786 rpm
Cutting Length	Unlimited
Cutting Depth	17 & 25mm
Blade Size	110mm
Dimensions (Box size)	360 x 348 x 102mm
Weight	4kg
Pack Quantity	4





442012 - COUPE CARREAUX ELECTRIQUE 180mm 450W

Good quality for sustained use

Specifications

- Easily transportable electric tile cutter
- Unlimited cutting length
- Tilting table for bevel cutting
- Allows you to cut floor and wall tiles with a continuous rim diamond disc suitable for the material to be cut
- Easily transportable
- It is useful for all tiling occasions



442012 - COUPE CARREAUX ELECTRIQUE	
Motor	450W - 240V - 50Hz
Rotation Speed	2990 rpm
Cutting length	620mm
Cutting depth	20 & 34mm
Blade size	Ø180mm (Bore Ø25.4mm)
Dimensions (Table size)	330 x 360mm
Weight	8.5 kg
Pack Quantity	1



446012 - COUPELEC MILLENIUM

Specifications

- Easily transportable electric tile cutter
- Unlimited cutting length
- Tilting steel/chrome working surface allowing bevel cutting of 0° to 45°
- Cutting table grooved and perforated to catch water
- Blade cooling by dipping
- Removable plastic water tray
- Adjustable blade protection to limit water spray
- Version available with steel table ref 445512

Good quality for sustained use



Unlimited



Unlimited



34mm
(20mm at 45°)



446012- COUPELEC MILLENIUM	
Motor	720W - 240V - 50Hz
Rotation Speed	2800 rpm
Cutting Length	Unlimited
Blade Size	Ø180 x 22.2mm (COUPELEC ref. 016422)
Diagonal Cutting	440mm
Dimensions (Box size)	395 x 385 x 230mm
Weight	13kg
Pck Quantity	3



444912 - COUPELEC PREMIUM

Specifications

- Easily transportable electric tile cutter
- Unlimited cutting length
- Tilting steel working surface allows bevel cuts of 0° to 45°
- Automatic thermal overload protection
- Blade cooling by dipping
- Removable water tray
- Splash guard limits dust, debris and water spray
- Accessories include:
 - Diamond blade 180mm
 - Diagonal cutting guides, notch at 90° for easy use
 - Straight ruler for precise cutting


Excellent quality / price ratio




Unlimited



Unlimited



34mm
(26mm at 45°)



444912 - COUPELEC PREMIUM	
Motor	450W - 240V - 50Hz
Rotation Speed	2800 rpm
Cutting length	Unlimited
Cutting depth	26 & 34mm
Blade size	Ø180 x 25.4mm (COUPELEC REF. 016422)
Dimensions (Box size)	385 x 385 x 250mm
Weight	9kg
Pack Quantity	3



CONTINUOUS RIM DIAMOND BLADES

For wet cutting only. Three diamond blade ranges for specific uses with corresponding qualities.

ARIANE (Gold): Professional, robust quality performance
CARRELEC (Silver): Good quality for sustained use
COUPELEC (Blue): Excellent quality / price ratio



ARIANE Ø180mm, Ø200mm, Ø250mm

Professional, robust quality and performance



027422 - ARIANE 180 - Ø180mm	
Boring Diameter	25.4mm
Reduction Ring	22.2mm
Pack Quantity	1
3 280020 274224 >	
027522 - ARIANE 200 - Ø200mm	
Boring Diameter	25.4mm
Reduction Ring	22.2mm
Pack Quantity	1
3 280020 275221 >	
027722 - ARIANE 250 - Ø250mm	
Boring Diameter	30mm
Reduction Ring	25.4 - 22.2mm
Pack Quantity	1
3 280020 277225 >	

CARRELEC Ø180mm, Ø200mm

Good quality for sustained use



017422 CARRELEC 180 - Ø180mm	
Boring Diameter	30mm
Reduction Ring	25.4 - 22.2mm
Pack Quantity	2
3 280020 174227 >	
017522 CARRELEC 200 - Ø200mm	
Boring Diameter	30mm
Reduction Ring	25.4 - 22.2mm
Pack Quantity	2
3 280020 175224 >	

COUPELEC Ø180mm, Ø200mm, Ø250mm

Excellent quality / price ratio




016422 - COUPELEC 180 - Ø180mm	
Boring Diameter	30
Reduction Ring	25.4 - 22.2mm
Pack Quantity	3
3 280020 164228 >	
016522 - COUPELEC 200 - Ø200mm	
Boring Diameter	30
Reduction Ring	25.4 - 22.2mm
Pack Quantity	3
3 280020 165225 >	
016722 - COUPELEC 250 - Ø250mm	
Boring Diameter	30
Reduction Ring	25.4 - 22.2mm
Pack Quantity	3
3 280020 167229 >	

DIAM CUT X 180, 200



Specifications

- Wet diamond blade
- Continuous cutting
- Long life
- Blade diameters: 200 and 180 mm.
- Quality cutting



Materials to be cut: Quarry tile, enamelled tile, ceramic tile, stoneware tile, marble, granite, reconstructed stone.

TT5600500 - DIAM CUT X 180	
Boring Diameter	30
Reduction Ring	25.4 - 22.2mm
Pack Quantity	1
3 221675 600501 >	
T5600750 - DIAM CUT X 200	
Boring Diameter	30
Reduction Ring	25.4 - 22.2mm
Pack Quantity	1
3 221675 600754 >	

POWERPLUS DIAMOND BLADES

For wet cutting only. Three diamond blades corresponding to specific standards and uses. Includes reduction rings to allow use on all powered tile cutters with 110mm blade, 16mm or 22mm bore.

For cutting: Ceramic, Slate, Marble, Granite, Terracotta, Porcelain, Stone, Travertine, Quarry and Limestone.



010822 - GENERAL PURPOSE



010822 - GENERAL PURPOSE	
Diameter	110mm
Boring	22.2mm - 16mm
Pack Quantity	10
3 280020 108222 >	

010922 - FOR HIGH GLAZE





010922 - FOR HIGH GLAZE	
Diameter	110mm
Boring	22.2mm - 16mm
Pack Quantity	10
3 280020 109229 >	

011022 - FOR GLASS



011022 - FOR GLASS	
Diameter	110mm
Boring	22.2mm - 16mm
Pack Quantity	5
3 280020 110225 >	

T5852110 - GRINDCUT PRO 125




Ideal for cutting and grinding

Specifications

- Designed for bevelling, to countersink, adjust or cut
- Devoid of segments: with no risk of breakage or tearing
- Rapid penetration
- Clean and economical cut
- For cutting, sanding: concrete (except fresh concrete), iron, steel, HDPE, granite, basalt, PVC, wood, bricks
- To cut and sand (Dry or wet cut) all materials and metal
- With flange for direct mounting on grinder

T5852110 - GRINDCUT PRO 125	
Blade Diameter	125mm
RPM	13000
Pack Quantity	1
3 221675 852115 >	

T5802410 - EXTREMM ST



Specifications

- Extremely fine only 1mm
- High performance and long life
- Precise cut and finish
- Special hard tiles
- Aerated smooth sheet metal
- Segmented rim
- Particularly suitable for cutting ultra-thin very hard ceramic, granite and other difficult to cut tiles also for cutting roofing tiles and bricks.
- To cut all tiles: porcelain stoneware porcellanato high density, marble, glass mosaic...
- To cut dry or wet


T5802410 - EXTREMM ST	
Blade Diameter	115mm
RPM	12250
Pack Quantity	1
3 221675 803414 >	

Manual Tile Cutters



SUPERCOUP II: T3110900 - 900mm, T3110750 - 750mm, T3110600 - 600mm

Professional, robust quality and performance



Tungsten Carbide Cutting Wheel ref: T3526040

T3110900 - SUPERCOUP II 900mm		T3110750 - SUPERCOUP II 750mm		T3110600 - SUPERCOUP II 600mm	
	900 x 900mm		750 x 750mm		600 x 600mm
	636 x 636mm		530 x 530mm		420 x 420mm
	20mm		20mm		20mm
Pack Quantity	1	Pack Quantity	1	Pack Quantity	1
3 280029 710761 >		3 280029 710785 >		3 280029 710778 >	

202232 - LA CARRELETTE® ULTRA PRO 1200, 201132 - LA CARRELETTE® ULTRA PRO 900

Professional, robust quality and performance



Specifications

- Cutting length is ideal for most tiles
- High precision cutting head with replaceable tungsten carbide wheel (22 x 6 x 5mm)
- Cutting head carriage with ball bearings for greater accuracy and easier use
- Table extensions to support large tiles
- Shock absorbing trays
- Large graduated swivel cutting head
- Comfortable co-moulded handle
- Wheels for easy transport
- Carrying handle
- Replacement Tungsten Carbide Cutting Wheel available ref. 220231 - 22 x 6 x 4.7mm




201132 - LA CARRELETTE® ULTRA PRO 900		202232 - LA CARRELETTE® ULTRA PRO 1200	
	900 x 900mm		1200 x 1200mm
	635 x 635mm		830 x 830mm
	20mm		16mm
Pack Quantity	1	Pack Quantity	1
3 280022 011322 >		3 280022 012329 >	

T3120010 - LA CARRELETTE® CLINKER 750mm, T3120020 - LA CARRELETTE® CLINKER 900mm

Professional, robust quality and performance

Specifications

- Cutting length is ideal for most tiles
- Wheels for easy transport
- Carrying handle
- Replacement Tungsten Carbide Cutting Wheel ref. T3526040 Ø2 x Ø6 x 4.7mm



T3120010 - LA CARRELETTE® CLINKER 750		
	750 x 750mm	
	530 x 530mm	
	20mm	
Pack Quantity	1	3 221673 120018 >

T3120020 - LA CARRELETTE® CLINKER 900		
	900 x 900mm	
	635 x 635mm	
	20mm	
Pack Quantity	1	3 221673 120025 >

081032 - LA CARRELETTE® EXCLUSIVE 730mm

Good quality for sustained use

Specifications

- Exclusive design
- Ergonomic, perpendicular handle allowing a natural position for comfortable use
- Tracing is visible through the open handle
- Carriage set on ball bearings
- Orientable graduated set square
- Extension arm stabilizes large size tiles
- Tungsten Carbide Wheel ref. 261731 Ø22 x Ø6 x 6mm



081032 - LA CARRELETTE® EXCLUSIVE 730mm		
	730 x 730mm	
	515 x 515mm	
	14mm	
Pack Quantity	1	3 280020 810323 >

061032 - LA CARRELETTE® PROCOUP 600mm

Good quality for sustained use

Specifications

- Convenient for all types of tile
- User friendly and excellent precision cutting
- Carriage set on ball bearings
- Adjustable, graduated directional cutting guide
- Rubber shock absorbers
- Plastic case for transport and storage
- Replacement Tungsten Carbide Cutting Wheel available ref.144031 22 x 6 x 4.7mm



061032 - LA CARRELETTE® PROCOUP 600mm		
	600 x 600mm	
	420 x 420mm	
	19mm	
Pack Quantity	1	3 280020 610329 >

047032 - LA CARRELETTE® 470mm

Excellent quality / price ratio

Specifications

- Cutting length ideal for the majority of tiles
- Rubber shock absorbers on a steel base
- Aluminum carriage set on a double bar, reinforced strength
- Adjustable and graduated cutting guide
- Replacement Tungsten Carbide Cutting Wheel ref. 261931 18 x 6 x 3.8mm



047032 - LA CARRELETTE® 470mm	
	470 x 470mm
	330 x 330mm
	12mm
Pack Quantity	4

311032 - LA CARRELETTE® SPECIAL MOSAIC - 330mm

Specifications

- Specially designed for mosaic and glass mosaic sheet tiles using its smaller pull down breaking bar
- For traditional tiles with its fixed larger breaking bar
- Original concept with folding extensions
- Practical, lightweight and compact
- Replacement Tungsten Carbide Wheel available ref. 261231 (Ø14 x Ø6 x 1.5mm)



311032 - LA CARRELETTE® SPECIAL MOSAIC - 330mm	
	330 x 330mm
	235 x 235mm
	8mm for mosaic and glass tiles
Pack Quantity	6

243032 - LA CARRELETTE® 400mm, 232032 - LA CARRELETTE® 300mm

Excellent quality / price ratio

Specifications

- Quick and easy use
- Light and manageable
- Rubber shock absorbers on a steel base
- Tungsten Carbide Cutting Wheel replacement available ref. 261231 (14 x 6 x 1.5mm)



243032 - LA CARRELETTE® 400mm	
	400 x 400
	280 x 280
	15mm
Pack Quantity	6

232032 - LA CARRELETTE® 300mm	
	300 x 300
	210 x 210
	15mm
Pack Quantity	6

Overview of diagonals - Measuring sides and diagonals for most common sizes of tiles

Side x Side (cm)	Diagonal (cm)	Side x Side (cm)	Diagonal (cm)
15 x 15	21.20	36 x 36	50.90
20 x 20	28.30	40 x 40	56.60
21.20 x 21.20	30.00	40.30 x 40.30	57.00
23.30 x 23.30	33.00	42.40 x 42.40	60.00
25 x 25	35.40	43 x 43	60.80
28.20 x 28.20	40.00	45 x 45	63.60
30 x 30	42.40	46 x 46	65.10
30.40 x 30.40	43.00	46.60 x 46.60	66.00
31 x 31	43.84	50 x 50	70.70
33 x 33	46.70	52 x 52	73.50
33.20 x 33.20	47.00	53 x 53	75.00
35 x 35	49.50	60 x 60	84.90
35.30 x 35.30	50.00	63.60 x 63.60	90.00



Tungsten Carbide Cutting Wheels

Specifications

- Replacement wheels for manual tile cutters and nippers
- Made of tungsten carbide for wear resistance
- Large selection to cover all needs

144031 - TUNGSTEN CARBIDE CUTTING WHEEL

For Manual Tile Cutter ref: 061032 and the tile nipper ref: 265041

Diameter	22mm		
Boring Diameter	6mm		
Thickness	2mm		
Pack Quantity	6		

220231 - TUNGSTEN CARBIDE CUTTING WHEEL

For Manual Tile Cutter ref: 201132

Diameter	22mm		
Boring Diameter	6mm		
Thickness	4.7mm		
Pack Quantity	6		

200731 - TUNGSTEN CARBIDE CUTTING WHEEL

Diameter	13.7mm		
Boring Diameter	4mm		
Thickness	8.5mm		
Pack Quantity	6		

261231 - TUNGSTEN CARBIDE CUTTING WHEEL

For Manual Tile Cutters ref: 031032, 232032, 242032, 242732 and the tile nipper ref: 262241

Diameter	14mm		
Boring Diameter	6mm		
Thickness	1.5mm		
Pack Quantity	6		

261831 - TUNGSTEN CARBIDE CUTTING WHEEL

Diameter	18mm		
Boring Diameter	6mm		
Thickness	1.5mm		
Pack Quantity	6		

261931 - TUNGSTEN CARBIDE CUTTING WHEEL

For Manual Tile Cutter ref: 047032

Diameter	18mm		
Boring Diameter	6mm		
Thickness	3.8mm		
Pack Quantity	6		

261731 - TUNGSTEN CARBIDE CUTTING WHEEL

For Manual Tile Cutter ref: 081032

Diameter	22mm		
Boring Diameter	6mm		
Thickness	6mm		
Pack Quantity	6		

201131 - TUNGSTEN CARBIDE CUTTING WHEEL

For Manual Tile Cutter ref: 201032

Diameter	22mm		
Boring Diameter	10.5mm		
Thickness	2mm		
Pack Quantity	6		

234131 - TUNGSTEN CARBIDE CUTTING WHEEL

Diameter	28mm		
Boring Diameter	8mm		
Thickness	8mm		
Pack Quantity	6		

**T3260090 - WHEEL FOR SUPERCUP
Ø22 x 6 x 5mm**


Specifications

- Replacement wheels for manual tile cutters
- Made of tungsten carbide for wear resistance



T3260090 - TO FIT:
SUPERCUP 1350 - REF: T3110080 SUPERCUP 750 - REF: T3110560
SUPERCUP 900 - REF: T3110040 SUPERCUP 600 - REF: T3110030

Outside	Ø22mm	
Bore	6mm	
Thickness	5mm	
Pack Quantity	5	



**T3526040 - WHEEL FOR CLINKER
Ø22 x 6 x 5mm**


Specifications

- Replacement wheels for manual tile cutters
- Made of tungsten carbide for wear resistance



T3526040 - TO FIT:
CLINKER 900 - REF: T3120020
CLINKER 750 - REF: T3120010


Outside	Ø22mm	
Bore	6mm	
Thickness	4.7mm	
Pack Quantity	5	




**T3260160 WHEEL FOR ROLLERCUT 600
Ø22 x 6 x 2mm**

Specifications

- Replacement wheels for manual tile cutters
- Made of tungsten carbide for wear resistance



Outside	Ø22mm	
Bore	6mm	
Thickness	2mm	
Pack Quantity	5	




**T3260120 - WHEEL FOR CUT 470
Ø18 x 6 x 3.8mm**

Specifications

- Replacement wheels for manual tile cutters
- Made of tungsten carbide for wear resistance



Outside	Ø18mm	
Bore	6mm	
Thickness	3.8mm	
Pack Quantity	5	



451010 - ELECTRIC MIXER 1200W

Specifications

- For mixing adhesives, paint, cement, collen cement, tiling adhesives, plaster, MAP (plasterboard sealant), plaster, resins
- 140mm blade - for low-density materials, i.e. a maximum mixing capacity of around 30kg
- M14 type assembly
- Variable speed motor for optimum performance
- Power combined with variable speeds for optimum torque
- Double handle for ease of use
- Locking button
- Thermal overload protection
- Supplied with 140mm propeller
- Ergonomic and lightweight



451010 - ELECTRIC MIXER 1200W	
Mix Capacity	30kg
Blade Size	140mm
Pack Quantity	1



281140 - HIGH VISCOSITY MIXER

Specifications

- Mixes all types of adhesive, tile grout or paint even of a very strong viscosity
- Used with an electric drill



281140 - HIGH VISCOSITY MIXER	
Length	600mm
Ø Head	120mm
Pack Quantity	3



281240 - LOW VISCOSITY MIXER

Specifications

- For mixing liquid products like tile grout or paint
- Used with an electric drill



281240 - LOW VISCOSITY MIXER	
Length	400mm
Ø Head	80mm
Pack Quantity	3



T5231700 - TH MIXER 1800 - POWER 1800W - ELECTRONIC SPEED VARIATOR MIXER WITH CARRY CASE

Specifications

- Portable power mixer
- For mixing all types of cement-adhesive, paint, cement additives, resin, etc...
- Double handed handle for comfort and security
- Ergonomic and light
- Progressive variable start up
- Speed dial controls:
 - 1st gear: 180 à 400 RPM
 - 2nd gear: 300 à 700 RPM
- Supplied with storage case and 2 paddle mixers Ø14cm and Ø16cm



CARRY CASE INCLUDED



M14 Thread



T5231700 - TH MIXER 1800	
Motor	1800W & 1200W
Weight	5.4kg
Pack Quantity	1



455010 - CORDLESS ELECTRIC BEATER & SUCTION CUP

- Used for spreading glue under tiles
- 2 functions: vibrating tiler bat, and gripping suction cup

Specifications

- Voltage: 240V - 50Hz
- Battery Voltage: DC12V
- Battery Capacity: 2200mA
- Vibration Frequency 0-150Hz/s (5 speeds)
- Charging time 120 mins
- Capacity: 30kg max
- Net weight: 1.2kg



455010 - ELECTRIC BEATER & SUCTION CUP		
Length	400mm	 3 280024 550102 >
Ø Head	80mm	
Pack Quantity	1	

DRILLING WITH WATER

Drilling with water

- For wet drilling either delicate or very hard materials: enamelled stoneware, porcelain-finished stoneware, ceramic stoneware, most granites and marbles, slate, enamelled cast-iron bathtub, composite materials of polyester, glass fibre and similar types.
- Horizontal or vertical use
- Fitting on a drill (minimum 500W)
- With integrated sponge from Ø18mm for lubrication during drilling




With integrated sponge from Ø18mm for lubrication during drilling

T5183910 - DRILLING GUIDE Ø6 - 83mm

Specifications:

- Avoids movement of the hole saw while drilling
- Perfect centering when making dry or wet cuts
- Suction cup mounting allows for horizontal and vertical drilling on specific points
- For hole saws with a diameter of 6 to 83mm



T5183910	
Drilling Guide	Ø6 - 83mm
Pack Quantity	1
	
3 221675 183912 >	

300640 - DRILLING GUIDE Ø4,6,8,10,12mm

Specifications:

- For drilling straight, precise, and safe holes even without a drill column
- Designed for demanding DIY enthusiasts and professionals alike
- Allows drilling at 90° or at an angle as required
- Compatible with most standard drills
- Five built-in diameters: 4,6,8,10 and 12 for optimum versatility



300640	
Drilling Guide	Ø4,6,8,10,12mm
Pack Quantity	5
	
3 280023 006402 >	

T3491210 - WET DIAMOND DRILL BIT Ø8mm



T3491210	
Size	Ø8mm
Pack Quantity	5
	
3 221673 491217 >	

T3491220 - WET DIAMOND DRILL BIT Ø10mm



T3491220	
Size	Ø10mm
Pack Quantity	5
	
3 221673 491224 >	

T3491230 - WET DIAMOND DRILL BIT Ø18mm



T3491230	
Integrated Sponge	
Size	Ø18mm
Pack Quantity	5
	
3 221673 491231 >	

T3491240 - WET DIAMOND DRILL BIT Ø27mm



T3491240	
Integrated Sponge	
Size	Ø27mm
Pack Quantity	5
	
3 221673 491248 >	

T3491250 - WET DIAMOND DRILL BIT Ø35mm



T3491250	
Integrated Sponge	
Size	Ø35mm
Pack Quantity	5
	
3 221673 260097 >	

T3491260 - WET DIAMOND DRILL BIT Ø45mm



T3491260	
Integrated Sponge	
Size	Ø45mm
Pack Quantity	1
	
3 221673 491262 >	

T3491270 - WET DIAMOND DRILL BIT Ø55mm



T3491270	
Integrated Sponge	
Size	Ø55mm
Pack Quantity	1
	
3 221673 491279 >	

T3491280 - WET DIAMOND DRILL BIT Ø65mm



T3491280	
Integrated Sponge	
Size	Ø65mm
Pack Quantity	1
	
3 221673 491286 >	

T5187250 - WET DIAMOND DRILL BIT Ø68mm



T5187250	
Integrated Sponge	
Size	Ø68mm
Pack Quantity	1
	
3 221675 187255 >	

T3491310 - 4 PIECE SET OF DIAMOND DRILL BITS

Different Diameters:
6 - 8 - 10 - 17mm



T3491310	
Pack Quantity	1
	
3 221673 491316 >	

Leveling System and Tiling Spacers




NUMBER OF TILE SPACERS OR LEVELING SYSTEM REQUIRED PER m²

Tile Size (cm)	Leveling System / m ²
10 x 10	100
10 x 20	50
13 x 13	60
13 x 26	30
15 x 15	44
20 x 20	25
25 x 25	16
30 x 20	17
30 x 30	11
33 x 33	9
40 x 20	12
40 x 30	9
40 x 40	7
60 x 30	6
60 x 60	3

Tile Size (cm)	Leveling System / m ²	Tile Size (cm)	Leveling System / m ²
30 x 60	22	60 x 80	10
30 x 90	19	60 x 100	10
40 x 40	25	60 x 120	8
40 x 60	17	80 x 80	9
40 x 80	16	80 x 100	9
45 x 45	20	80 x 120	7
45 x 60	15	90 x 90	7
45 x 80	14	90 x 120	6
50 x 50	16	100 x 100	8
50 x 100	12	100 x 120	7
50 x 120	10	120 x 120	6
60 x 60	11		

Table shown as a general reference guide only.




PATENTED DESIGN

Unique 2 piece spacer system that prevents uneven tiles.

Durable nylon construction for a secure installation. High-visibility yellow wedges are easy to distinguish on the job site. Specially designed break-off point on clips for swift removal.

259641 - TILE SPACERS WEDGES 1 - 5mm (250 pieces)

- Adjustment for vertical wall tile alignment
- Variable thickness 1 to 5 mm for precise correction
- Careful, consistent work, professional finish
- Bag of 250 pieces, versatile use on site



259641
 Sizes 1 - 5mm
 Pack Quantity 6

FOR PERFECT TILE -TO-TILE LEVELING


The patented LASH system is designed for quick installation and reduces costly call backs by ensuring that the finished floor surface is lippage-free. This time saving system helps adjust the height of the tiles and evenly holds their edges throughout the adhesive drying process.

Level and Align - the LASH clips work as a system by automatically aligning the tiles and ensuring that the surface of the tiles is level.


Space - The clips allow the installer to space the tiles exactly the same width throughout the installation to prevent any variation in a grout joint.

Hold - The wedges ensure that the tiles are held at an even height until the adhesive sets.

FIX



Slide two LASH clips under the tile and into the adhesive approximately 50mm from each end of the tile. Place the second tile.



Slide the reusable LASH wedges into the clips and tighten to level, align, space and hold the tiles.



Once the adhesive sets, simply kick the clips, forcing them to snap off at the specially designed break-points.

210641 - LEVELING CROSSES CLIPS - BAG OF 30 CLIPS + 30 WEDGES

- Patented system eliminates tile level differences
- Quick installation, invisible after grouting
- Kit of 30 clips + 30 reusable nylon wedges

210641
 Pack Quantity 10

T3243020 - RECOVERABLE WEDGES - BAG OF 200 WEDGES

- Special clamp for tightening LASH levelling clips
- Optimised ergonomics for professional use
- Uniform pressure guarantees perfect levelling
- Compatible with all PRCI clip systems

T3243020
 Pack Quantity 10

T3243010 - LEVELING CLIPS BAG OF 100


- Special clamp for tightening LASH levelling clips
- Optimised ergonomics for professional use
- Uniform pressure guarantees perfect levelling
- Compatible with all PRCI clip systems

T3243010
 Pack Quantity 10

210641 - LEVELING CLIPS BAG OF 30 + 30 WEDGES

- Patented system eliminates level differences between tiles
- Quick installation, invisible after grouting
- Significant time savings compared to traditional methods
- Bag of 30 clips + 30 reusable nylon wedges

210641
 Pack Quantity 10



T3243030 - PLIERS FOR CLIPS

- Special clamp for tightening LASH levelling clips
- Optimised ergonomics for professional use
- Uniform pressure guarantees perfect levelling
- Compatible with all PRCI clip systems

T3243030
 Pack Quantity 10



TILE SPACERS SEMI PRO RANGE

Semi Pro Range

- Spaces wall/floor tiles evenly
- Ensure an even grout line throughout
- Wing length: 18mm



212541 - Semi Pro Range 2mm
Quantity 250

Pack Quantity 6



3 280022 125418 >

213541 - Semi Pro Range 3mm
Quantity 250

Pack Quantity 6



3 280022 135417 >

214541 - Semi Pro Range 4mm
Quantity 250

Pack Quantity 6



3 280022 145416 >

215541 - Semi Pro Range 5mm
Quantity 250

Pack Quantity 6



3 280022 155415 >

215841 - Semi Pro Range 6mm
Quantity 250

Pack Quantity 6



3 280022 158416 >

REUSABLE PRO SPACERS

Reusable Pro Spacers

- Spaces wall/floor tiles evenly
- Ensure an even grout line throughout
- Longer length spacers
- Size adapted to the size of joints and varying dimensions of tiles
- 100 pack



213341 - 3mm
Pack Quantity 6



3 280022 133413 >

211541 - 5mm
Pack Quantity 6



3 280022 115419 >

PRO SPACERS

Pro Spacers

- Spaces wall/floor tiles evenly
- Ensure an even grout line throughout
- Longer length spacers
- Size adapted to the size of joints and varying dimensions of tiles



101502 - PRO SPACERS 2mm
QUANTITY 500

Pack Quantity 6



3 280021 015024 >

101503 - PRO SPACERS 3mm
QUANTITY 500

Pack Quantity 6



3 280021 015031 >

102504 - PRO SPACERS 4mm
QUANTITY 500

Pack Quantity 6



3 280021 025047 >

102505 - PRO SPACERS 5mm
QUANTITY 500

Pack Quantity 6



3 280021 025054 >

216241 - PRO SPACERS 2mm
QUANTITY 250

Pack Quantity 6



3 280022 662418 >

266341 - PRO SPACERS 3mm
QUANTITY 250

Pack Quantity 6



3 280022 663415 >

266441 - PRO SPACERS 4mm
QUANTITY 250

Pack Quantity 6



3 280022 664412 >

266541 - PRO SPACERS 5mm
QUANTITY 200

Pack Quantity 6



3 280022 665419 >

266341 - PRO SPACERS 6mm
QUANTITY 100

Pack Quantity 6



3 280022 666341 >

266841 - PRO SPACERS 8mm
QUANTITY 100

Pack Quantity 6



3 280022 668410 >

270341 - PRO SPACERS 10mm
QUANTITY 100

Pack Quantity 6



3 280022 703418 >

T3242800 - T PRO SPACERS 2mm
QUANTITY 250

Pack Quantity 6



3 221673 242802 >

266841 - T PRO SPACERS 3mm
QUANTITY 250

Pack Quantity 6



3 221673 242819 >

AUTO LEVELING SPACERS

PRCI self-leveling spacers are essential accessories for tile installation, designed to ensure perfect alignment and flawless flatness between tiles. Thanks to their innovative system, these spacers correct differences in level between tiles, ensuring a professional finish with minimal effort. Made from robust and durable materials, they are used in combination with wedges and clamps for optimal pressure. Their quick and intuitive installation makes work easier, even on large surfaces, reducing installation time and limiting rework due to leveling defects.

218042 - BUCKET OF 100 HURRICANE NUTS

- Self-leveling system for 1mm thin joints
- Automatic correction of tile level differences
- Reduced installation time, fewer reworks
- Compatible with PRCI self-leveling spacers



218241 - BAG OF 100 CROSS BRACKETS 1mm

- Self-leveling system for 1mm thin joints
- Automatic correction of tile level differences
- Reduced installation time, fewer reworks
- Compatible with PRCI self-leveling spacers



218142 - BUCKET OF 250 CROSS BRACKETS 1mm

- 1 mm spacing with integrated level correction
- Automatic correction of tile level difference
- Reduced installation time, fewer reworks
- Bucket of 250 precision tile spacers



218242 - BAG OF 100 2mm CROSS SHIMS

- 2mm spacing with integrated level correction
- Automatic correction of tile level differences
- Reduced installation time, fewer reworks
- Bag of 100 precision tile spacers



218242 - BUCKET OF 250 2mm CROSS SHIMS

- 2mm spacing with integrated level correction
- Automatic correction of tile level differences
- Reduced installation time, fewer reworks
- Bucket of 250 precision tile spacers



218341 - BAG OF 100 3mm CROSS SHIMS

- 3mm spacing with integrated level correction
- Automatic correction of tile level differences
- Reduced installation time, fewer reworks
- Bag of 100 precision tile spacers



219941 - STARTER KIT 150 2mm CROSS STICKS 10-25 HEIGHT + 50 NUTS

- 2mm spacing with integrated level correction
- Automatic correction of tile level differences
- Reduced installation time, fewer reworks
- Kit of 50 nuts + 150 thick tile spacers



218342 - BUCKET OF 250 3mm CROSS SHIMS

- 3mm spacing with integrated level correction
- Automatic correction of tile level differences
- Reduced installation time, fewer reworks
- Bucket of 250 precision tile spacers



218941 - STARTER KIT 150 2mm CROSS SHIMS HEIGHT 3-15+50 NUTS

- Self-leveling system for 1mm thin joints
- Automatic correction of tile level differences
- Reduced installation time, fewer reworks
- Compatible with PRCI self-leveling spacers



219241 - BAG OF 100 2mm DEEP CROSS-SHAPED SPACERS

- 1 mm spacing with integrated level correction
- Automatic correction of tile level difference
- Reduced installation time, fewer reworks
- Bucket of 250 precision tile spacers



219341 - BAG OF 100 2mm CROSS SHIMS

- 2mm spacing with integrated level correction
- Automatic correction of tile level differences
- Reduced installation time, fewer reworks
- Bag of 100 precision tile spacers



219441 - BAG OF 100 4mm DEEP CROSS-BRACE

- 4mm spacing with integrated level correction
- Automatic correction of tile level differences
- Reduced installation time, fewer reworks
- Bucket of 250 precision tile spacers



219541 - BAG OF 100 5mm DEEP CROSS-BRACE

- 5mm spacing with integrated level correction
- Automatic correction of tile level differences
- Reduced installation time, fewer reworks
- Bag of 100 precision tile spacers




FIX

341341 - TILE MARKERS

Specifications

- For marking ceramic, tile and glass
- Ideal for mosaics
- 1 black and 1 red



268841 - SCRIBER PEN

Specifications

- For marking ceramic tiles
- Slides into the pocket
- Tungsten carbide point
- Length 150mm



262741 - TILE SCRIBER

Specifications

- For marking ceramic tiles
- Tungsten carbide point
- The breaking system allows for narrow cutting
- Length: 205mm



262641 - STEEL HAMMER

Specifications

- To break tiles along line drawn with the point
- Mono-block steel with tungsten carbide point
- Length: 250mm
- Flat Head: 18mm



262541 - ADJUSTABLE TILE HOLE DRILL

Specifications

- Cuts holes in ceramics, earthenware or laminated products
- Mounted on an electric drill and crankshaft
- Tungsten carbide drill
- Drilling capacity Ø30 in 90mm



265041 - MOSAIC AND GLASS TILE NIPPER

Specifications

- Designed for cutting mosaic tiles and narrow pieces
- Cuts: glass putty, enamels, mirrors and earthenware tiles
- 2 replaceable Tungsten carbide cutting wheels (ref. 144031)
- Jaw capacity: 16mm
- Length: 204mm



267441 - CARBIDE TIPPED TILE NIPPER

Specifications

- For small cuts, ideal for mosaic cutting and cutting back
- Tungsten carbide jaw
- Return-spring
- Jaw capacity: 12mm
- Length: 200mm



268141 - ROD SAW

Specifications

- For cutting into tiles
- Turning handle with lock
- Tungsten carbide tip for piercing the positioning hole
- Length: 300mm
- Replacement blade available ref: 267641

CUT




267641 - ROD SAW BLADE

Specifications

- Replacement blade for Rod Saw ref: 268141
- Tungsten carbide for wear resistance
- Length: 300mm

CUT




270741 - DEEP FRAME TILE SAW

Specifications

- For interior cutting
- Anti-slip plastic handle
- Length: 150mm
- Replacement tungsten carbide blade available ref: 268141

CUT



268141 - TUNGSTEN CARBIDE SAW BLADE

Specifications

- Tungsten carbide for wear resistance
- Length: 150mm
- Replacement blade for ref: 270741

CUT



268241 - FLAT ROD SAW BLADE

Specifications

- For straight cutting in hard materials
- Tungsten carbide for wear resistance
- Length: 300mm
- Replacement blade available ref: 268141

CUT



266941 - CERAMIC & MARBLE FILE

Specifications

- Smooths and shapes tiles
- Tungsten carbide file with dual side (Round/flat)
- Dual grit filing (course grain/fine grain)
- Ergonomic co-moulded handle
- Length: 205mm

FINISH




270741 - DEEP FRAME TILE SAW

Specifications

- For interior cutting
- Anti-slip plastic handle
- Length: 150mm
- Replacement tungsten carbide blade available ref: 268141

CUT



268141 - TUNGSTEN CARBIDE SAW BLADE

Specifications

- Tungsten carbide for wear resistance
- Length: 150mm
- Replacement blade for ref: 270741

CUT



267741 - CERAMIC & MARBLE HALF ROUND FILE

Specifications

- Smooths and shapes tiles
- Tungsten carbide file with dual side (Round/flat)
- Ergonomic co-moulded handle
- Length: 150mm

FINISH




263641 - DUAL GRIT RUBBING STONE


Specifications

- For smoothing, bevelling or rounding rough edges on freshly cut ceramic
- Grain size: 60 to 80
- Dimensions: 150 x 50 x 25mm

FINISH




KNEE PADS



Gel cushion technology

- Breathable Outer Lining
- Soft Foam Inner Lining
- 100% Pure GEL Cushion Air Cell
- High Density Foam
- Tough Outer Facing
- K-TARP Puncture Resistant
- Removable Cap



100% GEL Cushion
 Unique ribbed design with integral air cell for maximum comfort

340440 - CONTRACTOR'S KNEE PADS

Specifications

- Ideal for building work and for hard or humid surfaces
- Rigid shell with central "hinge" allowing pads to flex
- Shell in rigid polyurethane
- Foam interior for ultimate ventilation and comfort
- 2 elastic and adjustable straps



340440
 Pack Quantity 3

340740 - GEL KNEE PADS

Specifications

- Ideal for kneeling on a range of hard surfaces
- Hard, flexible, swivel cap for ease of movement
- Air-injected GEL foam for optimum comfort and shock absorption
- Adjustable elastic strap with velcro fastening
- CE compliant



340740
 Pack Quantity 6

342541 - GROUT BAG SET

Specifications

- 3 tear resistant bags
- For grouting earthenware tiles, brick, and facing stones



342541
 Pack Quantity 6

342241 - GROUT KIT WITH SEALANT

For grouting tiles, facing stones, bricks, stones, earthenware

Kit includes:

- Grout bag
- 3 adjustable nozzles for grout application
- Additive for cement, seal paste or mortar (1 dose per 50kg of cement, or 25kg of seal mortar)




342241
 Pack Quantity 5

269141 - MAGNETIC CATCH SET

Specifications

- To create trapdoors of different forms and dimensions
- Allows the assembly of practically invisible traps
- Set of 4 magnetic pieces
- Easy to use and install



269141
 Pack Quantity 6

780050 - BUCKET SHOVEL

Specifications

- Special shape for effectively scraping the edges of the bucket
- Saves material - nothing goes to waste!
- Ergonomic grip for optimal comfort
- Stainless steel resistant to wear and corrosion



780050
 Pack Quantity 6

300540 - DOUBLE SUCTION CUP 2 x 115mm

Specifications

- Double suction cup Ø115mm
- Allows you to carry heavy tiles
- For products with a smooth surface eg. marble
- Holding capacity 50kg



300540

Pack Quantity 3



3 280023 005405 >

300040 - SUCTION CUP

Specifications

- Suction cup Ø115mm
- For lifting and positioning tiles with non-porous services
- Large plastic handle for comfort
- For products with a smooth surface eg. marble
- Holding capacity 25kg



300040

Pack Quantity 3



3 280023 000400 >

300142 - LARGE SUCTION CUP

Specifications

- The essential tool for laying tiles safely and accurately
- Designed to make it easy to handle and adjust tiles
- It lifts, positions, and holds even the largest tiles firmly, effortlessly and without the risk of slipping.



300142

Pack Quantity 1



3 280023 001421 >

410040 - ADJUSTABLE TILE HOLDER

Specifications

- Tiles and large slabs can be carried easily
- Holding capacity: 300 to 500mm
- Adjustable length



410040

Pack Quantity 1



3 280024 100406 >

LARGE SPREADERS

285140 - 'U' NOTCH 2.5 x 2.5mm

Specifications

- For evenly spreading adhesive
- Wooden handle
- Steel blade
- Length: 200mm



285140

Pack Quantity 6



3 280022 851409 >

235340 - 'U' NOTCH 5 x 5mm

Specifications

- For evenly spreading adhesive
- Wooden handle
- Steel blade
- Length: 200mm



235340

Pack Quantity 6




3 280022 353408 >

285340 - 'U' NOTCH 6 x 6mm

Specifications

- For evenly spreading adhesive
- Wooden handle
- Steel blade



285340

Pack Quantity 6



3 280022 853403 >

285440 - 'U' NOTCH 9 x 9mm

Specifications

- For evenly spreading adhesive
- Wooden handle
- Steel blade



285440

Pack Quantity 6



3 280022 854400 >

SQUARE POINTED 'V' NOTCH LARGE SPREADER

Specifications

- For evenly spreading adhesive
- Square pointed 'V' notch
- Wooden handle
- Steel blade
- Length: 200mm
- Available in 2 sizes



283540 - 2.8 x 1.5mm

Pack Quantity 6



3 280022 835409 >

235240 - 4 x 2.5mm

Pack Quantity 6



3 280022 352401 >



270440 - DOUBLE SIDED SPREADER

Specifications

- For evenly spreading adhesive
- Square notches
- 2 sizes of notch: 6 x 6 and 9 x 9mm



760050 - PROFESSIONAL PLASTER TROWEL 1/2 MOON

Specifications

- Stainless steel blade - hard wearing and rust resistant
- Wooden handle
- Welded aluminium frame
- Size: 280 x 120mm
- Half moon serration: 10mm



PROFFESIONAL PLASTER TROWEL "U" NOTCH
200550 - 6 x 6mm, 720050 - 10 x 10mm

Specifications

- For evenly spreading adhesive and plaster
- Rust resistant stainless steel base
- Soft grip handle for extra comfort
- Dimensions: 280 x 115mm
- Available in 2 sizes



740050 - PROFFESIONAL PLASTER FINISHING TROWEL

Specifications

- For evenly spreading adhesive and plaster
- Rust resistant stainless steel base
- Soft grip handle for extra comfort
- Dimensions: 280 x 115mm
- Smooth sides for finishing



268640 - 400mm TILING TAMPER WITH LATEX FACE

Specifications

- Evenly distribute adhesive under tiles with a tapping action
- Levels off tiles during installation
- Wooden handle
- Rubber face to absorb and distribute the shocks
- Dimensions: 400 x 120mm



263040 - 300mm TILING TAMPER WITH LATEX FACE

Specifications

- Evenly distribute adhesive under tiles with a tapping action
- Levels off tiles during installation
- Wooden handle
- Rubber face to absorb and distribute the shocks
- Dimensions: 300 x 120mm



263540 - BLACK RUBBER MALLET

Specifications

- Ideal for setting tiles into adhesive
- One end flat and the other end rounded
- Wooden handle
- Dimension: Ø60mm



280140 - WHITE RUBBER MALLET

Specifications

- Ideal for setting tiles into adhesive
- Non-marking white rubber head
- Wooden handle
- Dimension: Ø60mm



284040 - PREMIUM GROUT FLOAT

Specifications

- Ideal for vertical work and for wide joints
- Green rubber face
- Ergonomic plastic handle
- Dimensions: 250 x 95mm

FINISH




342740 - RUBBER GROUT FLOAT

Specifications

- Ideal for vertical work, wide joints and large work surfaces
- Light weight foam covered in white rubber
- 2 rounded corners to avoid damaging joints
- 2 sharp angles for sealing corners
- Ergonomic plastic handle
- Dimensions: 240 x 100mm

FINISH



342840 - STANDARD GROUT FLOAT

Specifications

- For vertical work and large joints
- Foam face
- Ergonomic plastic handle
- Dimensions: 230 x 100mm

FINISH



790050 - SET OF 6 PLATES

Set Contents

- Float with interchangeable blades
- Used for smoothing, plastering, and finishing work

FINISH



SQUEEGEE WITH WOODEN HANDLE: 264040 - 180mm, 263140 - 300mm, 263240 - 400mm

Specifications

- For grouting and cleaning joints
- Recommended for small surfaces and narrow joints
- Highly resistant black rubber
- Wooden Handle

FINISH



101040 - DOUBLE FOAM SQUEEGEE

Specifications

- For grouting and cleaning joints
- Double foam thickness for more efficiency
- Pole handle
- Wooden grip
- Length: 440mm

FINISH



100840 - RED SQUEEGEE WITH WOODEN HANDLE

Specifications

- For grouting and cleaning joints
- Avoids rubber tracks on clear stone floors
- Long lasting rubber
- Wooden grip
- Length: 450mm

FINISH



263940 - DOUBLE FOAM METAL SQUEEGEE

Specifications

- For grouting and cleaning joints
- Recommended for large surfaces
- Double foam thickness for greater efficiency
- Pole handle
- Metal mount
- Length: 600mm

FINISH



200240 - INDUSTRIAL METAL SQUEEGEE

Specifications

- For grouting and cleaning joints
- Recommended for large surfaces
- Double foam thickness for greater efficiency
- Pole handle
- Metal scraper for dry joints
- Metal mount
- Length: 550mm



200240

Pack Quantity 3



3 280022 002405 >

341240 - GROUT BRUSH

Specifications

- For cleaning joints
- Curved handle design allows access in hard to reach places
- Thick durable nylon bristles
- Length: 175mm



341240

Pack Quantity 3



3 280023 412401 >

342141 - GROUT CLEAN AND POLISH KIT

Specifications

- To clean and polish tiles
- Re-usable, ergonomic plastic handle
- 4 interchangeable pads - abrasive to soft



342141

Pack Quantity 3



3 280023 421410 >

740040 - TILE WASH FLOAT

Specifications

- Ideal for cleaning areas of freshly grouted tiles
- Absorbant foam sponge, with plastic handle
- Dimensions: 280 x 140mm



740040

Pack Quantity 3



3 280027 400404 >

342940 - SEGMENTED TILE WASH FLOAT

Specifications

- Ideal for cleaning areas of freshly grouted tiles
- Better absorption thanks to the grooved surface
- Absorbent foam sponge, with plastic handle
- Dimensions: 280 x 140mm



342940

Pack Quantity 3



3 280023 429409 >

706040 - VISCOSE SPONGE

Specifications

- Great absorption
- Dimensions: 185 x 110 x 50mm



706040

Pack Quantity 6



3 280027 060400 >

708040 - BEVELED GROUTING SPONGE

Specifications

- One abrasive face and one absorbant face
- Synthetic fibres
- Dimensions: 190 x 100 x 60mm



708040

Pack Quantity 12



3 280027 080408 >



287140 - DOUBLE ROLLER TILE WASH KIT

Specifications

- The easy way to grout and clean tiles
- Ideal for large surfaces
- Kit contents - large container with wheels, wash float, double roller, lid and drainer
- Capacity: 25L



287140

Pack Quantity 1



3 280022 871407 >

287240 - TILE WASH KIT 10L WITH GROUT FLOAT

Specifications

- The easy way to grout and clean tiles
- Ideal for large surfaces
- Container with grout float, wheels, roller, wash float, lid and drainer
- Capacity: 10L



287040 - TILE WASH KIT 10L

Specifications

- The easy way to grout and clean tiles
- Ideal for large surfaces
- Container with wash float, roller, lid and drainer
- Capacity: 10L



T3499540 - LEVELLING ROLLER

The PRCI roller is the essential tool for ensuring perfect application of your levelling products. Designed to effectively eliminate air bubbles trapped in self-levelling screeds, it ensures a perfectly smooth, homogenous surface, free of defects.



740040 - JOINT ADMIXTURE

PRCI Joint Admixture is specially formulated to improve the quality, strength and durability of your joint mortars. Ideal for interior and exterior tiling, it optimises the workability of the mix and facilitates application for a clean, even result.



270041 - GROUT RAKE

Specifications

- For removing old and discoloured grout
- Tungsten carbide blade
- Light plastic handle
- Replacement blade available ref: 270941



270941 - GROUT RAKE BLADES

Specifications

- 3 changeable rake blades
- Tungsten carbide blades



391941 - JOINT SCRAPER AND SMOOTHER KIT

Specifications

- Kit for easily changing joints of shower trays, baths, basins or sinks
- Solid ergonomic tools, simple to use, for quick, easy and clean work
- Kit Contents: scraper, joint smoother with 2 nozzles of different sizes and a silicon sealant tube for silicon guns (that fits all standard pistols)




341441 - FLEX-TIP SEALANT SMOOTHER

Specifications

- Patented Design
- Perfect for smoothing fillers, grout and putty
- Unique, flexible tip for superb results on any surface



Plumbing



355760 - DRUM DRAIN UN-BLOCKER

Specifications

- Clean unblocking for all types of sanitary piping
- Plastic drum reel for quick table retraction cable
- Resin ergonomic "pistol" shape handle
- Corkscrew style tip, Ø15mm
- Length: 4.6m



355760	
Pack Quantity	3
3 280023 557607 >	

356060 - MOTORISED DRUM DRAIN CLEANER 7.5M

Specifications

- Unblocks small waste water drains
- Avoids soiling and using aggressive chemicals
- Motorised from the rear
- Length: 7.5m



356060	
Pack Quantity	1
3 280023 560607 >	

STEEL DRAIN CLEANER

355061: Ø20 - 40mm pipes, 355161: Ø30 - 100mm pipes, 355261: Ø30 - 100mm pipes, 353261: Ø30 - 100mm pipes

Specifications

- For unblocking pipes
- Flexible galvanised steel cable
- Crank handle for ease of use
- Steel corkscrew tip to hook and remove blockages



355061 Fits Ø20 - 40mm pipes	
Bulb end	Ø6mm
Length	3m
Pack Quantity	3
Delivered on a support	

3 280023 550615 >	

355161 Fits Ø30 - 100mm pipes	
Bulb end	Ø20mm
Length	3m
Pack Quantity	3
Delivered on a support	

3 280023 551612 >	

355261 Fits Ø30 - 100mm pipes	
Bulb end	Ø20mm
Length	5m
Pack Quantity	3
Delivered on a support	

3 280023 552619 >	

353261 Fits Ø30 - 100mm pipes	
Bulb end	Ø20mm
Length	10m
Pack Quantity	3
Delivered on a support	

3 280023 553616 >	

355560 - VACUUM PUMP

Specifications

- Clean unblocking for all types of sanitary piping
- Double action - to suck in and force back
- Ergonomic handle
- Capacity: 1.5L
- Dimensions: Ø175 x 470mm



355560	
Pack Quantity	3
3 280023 555603 >	

411060 - SUCTION CUP Ø120mm
414060 - SUCTION CUP Ø150mm

Specifications

- For unblocking sinks and showers etc.
- Rubber suction cup
- Unscrewable, plastic handle
- Length: 225mm



411060 - Ø120mm	
Pack Quantity	6
3 280024 140600 >	

414060 - Ø150mm	
Pack Quantity	6
3 280024 493126 >	

325261 - CABLE DRAIN CLEANER

Specifications

- For cleaning and unblocking all types of sanitary piping
- Rust-resistant, easy to clean, flexible vinyl-coated steel cable
- Removable brush
- Length: 1.5m



325261	
Pack Quantity	1
3 280023 252618 >	

STEEL BRUSH DRAIN CLEANER
351161: Fits Ø18 - 60mm pipes,
352561: Fits Ø35 - 100mm pipes

Specifications

- For cleaning and unblocking pipes
- Flexible galvanised steel cable Ø9mm
- Steel brush tip



351161 Fits Ø18 - 60mm pipes	
Dimensions	Ø18mm
Length	2m
Pack Quantity	3

3 280023 511616 >	

352561 - Fits Ø35 - 100mm pipes	
Dimensions	Ø35mm
Length	1.5m
Pack Quantity	3

3 280023 525613 >	

200661 - DRAIN CLEANER WITH MOVEABLE HANDLE

Specifications

- For unblocking Ø30 to 100mm pipes
- Flexible galvanised steel cable Ø9mm
- Large adjustable zinc plated handle
- Bulb head: Ø22mm Length: 760mm
- Delivered on a support



200661	
Pack Quantity	3
3 280022 006618 >	

355861 - TOILET AUGER CLEANER

Specifications

- Cleans and unclogs toilets
- Hand crank for rotating and moving back and forth
- Rust resistant metal spring with spiral shaped head
- Ring holder for transport and storage
- Diameter: 9mm
- Length: 90cm



355861	
Pack Quantity	3
3 280023 558611 >	

355960 - 6M RIGID STRAP UNBLOCKER

Specifications

- Easily unblocks hard-to-reach pipes
- 6-metre rigid strap
- Storage reel, for ease of use and convient storage
- Robust and efficient - it makes pipe maintenance easy



355960

Pack Quantity 1



3 280023 559601 >

356960 - VACUUM PUMP UNBLOCKER

Specifications

- An effective tool for quickly clearing blocked drains
- Pump action creates a powerful suction to unblock drains effortlessly
- Compact, robust and reliable
- Suitable for both domestic and professional use.



356960

Pack Quantity 1



3 280023 569600 >

323861 - PCV PIPE CUTTERS

Specifications

- For cutting PVC, CPVC, PE and PER
- High-leverage ratchet action
- Quick perpendicular cutting without burr
- Cutting capacity: Ø1 to 42mm



323861

Pack Quantity 3



3 280023 238612 >

323961 - PEX AND PEXAL PIPE CUTTER

Specifications

- Professional quality rapid cutting
- Cuts multi-layered (PEXAL) and PEX pipes without crushing
- Lightweight aluminium body
- Capacity: Ø2mm to 42mm, with quick re-adjustment Ø26mm, for rapid cutting



323961

Pack Quantity 3



3 280023 239619 >

413060 - BASIC VACUUM PUMP UNBLOCKER

Specifications

- A simple effective solution for clearing blocked drains
- For the removal of light blockages
- Compact and economical
- Suitable for both domestic use



413060

Pack Quantity 1



3 280024 130601 >

321061 - RATCHETING PIPE CUTTER

Specifications

- Allows cutting in locations that are difficult to access - due to the ratchet effect which only needs a low displacement
- For cutting annealed copper piping
- Cutting capacity: Ø8 to 29mm



321061

Pack Quantity 3



3 280023 210618 >

320461 - SUPER PRO PIPE CUTTER

Specifications

- For cutting annealed copper piping
- Wheel casing telescopic for rapidly adjusting the capacity of the cut
- Deburring tool built in
- Extra wheel in the knurled knob
- Cutting capacity: Ø3 to 32mm
- Replacement wheel available ref: 320561
- Replacement stainless steel wheel available ref. 321161 (Ø18 x 3 x 5mm)



320461

Pack Quantity 3



3 280023 204617 >

320761 - PRO PIPE CUTTER

Specifications

- For cutting annealed copper piping
- Retractable borer on the handle
- Cutting capacity: Ø3 to 32mm
- Replacement wheel: ref. 320861 (Ø18 x 4 x 4.5mm)



320761

Pack Quantity 3



3 280023 207618 >

320061 - SEMI PRO PIPE CUTTER

Specifications

- For cutting annealed copper piping
- Retractable borer on the handle
- Cutting capacity: Ø3 to 28mm
- Replacement wheel ref: 320561 (Ø18 x 3 x 5mm)



320061	Pack Quantity	3
3 280023 200619 >		

320661 - MINI PIPE CUTTER

Specifications

- For cutting annealed copper piping
- Compact, for cutting installed piping
- Cutting capacity: Ø3 to 22mm
- Replacement wheel ref: 320561 (Ø18 x 3 x 5mm) or ref: 320361 (Ø18 x 4 x 4.5mm)



320661	Pack Quantity	6
3 280023 206611 >		

REPLACEMENT WHEELS FOR PIPE CUTTERS -

- 320861 - For Pipe Cutter ref: 320761, 321161 - For Pipe Cutter ref: 320461
- 320561 - For Pipe Cutter ref: 320461, 320061, 320661, 320161



320861 - For Pipe Cutter ref: 320761	Diameter	Ø18mm
	Reduction Ring	4mm
	Thickness	4.5mm
	Pack Quantity	6



3 280023 208615 >



321161 - For Pipe Cutter ref: 320461	Diameter	Ø18mm
	Reduction Ring	3mm
	Thickness	5mm
	Pack Quantity	6



3 280023 211615 >



320561 - For Pipe Cutters: 320461, 320061, 320661, 320161	Diameter	Ø18mm
	Reduction Ring	3mm
	Thickness	5mm
	Pack Quantity	6



3 280023 205614 >

PROFESSIONAL BENDING SPRING -

- 351761 - For pipes Ø8 x 10mm, 351861 - For pipes Ø10 x 12mm, 351961 - For pipes Ø12 x 14mm, 352061 - For pipes Ø14 x 16mm

Specifications

- For curving copper pipes without breaking or crushing
- Square steel wire part and spiral joints
- Anti-corrosion treatment
- Excellent hold owing to the 2 rings.



For Annealed Copper Pipes



351761 - For pipes Ø8 x 10mm	Pack Quantity	3
-------------------------------------	---------------	---



3 280023 517618 >

351861 - For pipes Ø10 x 12mm	Pack Quantity	3
--------------------------------------	---------------	---



3 280023 518615 >

351961 - For pipes Ø12 x 14mm	Pack Quantity	3
--------------------------------------	---------------	---



3 280023 519612 >

352061 - For pipes Ø14 x 16mm	Pack Quantity	3
--------------------------------------	---------------	---



3 280023 520618 >



PROFESSIONAL BENDING SPRING -

- 356161 - For pipes Ø16mm, 356261 - For pipes Ø18mm, 356361 - For pipes Ø20mm, 356561 - For pipes Ø26mm

Specifications

- Professional spring for inside bending of PEX and PEXAL pipes
- To curve PEX and PEXAL pipes without breaking, flattening or crushing



PER PEX



Multilayered (PEXAL)



356161 - For pipes Ø16mm	Pack Quantity	2
---------------------------------	---------------	---



3 280023 561611 >

356261 - For pipes Ø18mm	Pack Quantity	2
---------------------------------	---------------	---



3 280023 562618 >

356361 - For pipes Ø20mm	Pack Quantity	2
---------------------------------	---------------	---



3 280023 563615 >

356561 - For pipes Ø26mm	Pack Quantity	2
---------------------------------	---------------	---



3 280023 565619 >

PIPE BENDER - 352161 - Fits pipes Ø8 x 10mm, 352261 - Fits pipes Ø10 x 12mm, 352361 - Fits pipes Ø12 x 14mm, 352461 - Fits pipes Ø12 x 14mm

Specifications

- For bending annealed copper piping
- Light, graduated, alloy head for direct centering of the tube
- Steel arms
- Ergonomic handle
- Bending capacity: 180°



Annealed copper



352161	
Fits pipes	Ø8 x 10mm
Length	260mm
Pack Quantity	3



3 280023 521615 >

352261	
Fits pipes	Ø10 x 12mm
Length	310mm
Pack Quantity	3



3 280023 522612 >

352361	
Fits pipes	Ø12 x 14mm
Length	330mm
Pack Quantity	3



3 280023 523619 >

352461	
Fits pipes	Ø14 x 16mm
Length	330mm
Pack Quantity	3



3 280023 524616 >

356861 - BUNG SPANNER

Specifications

- For vent removal and tub drain removal
- Made from aluminium
- To install and remove drains
- Fits most sizes
- Length 15cm
- Diameter 35mm / 46mm
- Diameter 32 mm / 46 mm



356861	
Diameter	32mm / 46mm
Length	15cm
Pack Quantity	6



3 280023 568610 >

351261 - EASY ACCESS HACK SAW

Specifications

- For sawing, even in hard-to-reach areas
- Curved handle for working close to walls
- Metal handle and replaceable blade



351261	
Pack Quantity	6



3 280023 512613 >



350161 - PRO FLARING TOOL Ø10-16mm

Specifications

- For connecting pipes without welding
- To achieve flat or conical flares.
- Bore bevel Ø10 - 12 - 14 and 16mm
- Flaring bar with 2 tightening wings
- Flaring tool and single mandrel



350161	
Pack Quantity	3



3 280023 501617 >



351061 - FLARING TOOL Ø10-16mm

Specifications

- For connecting copper pipes without welding
- To achieve conical pipe flares
- Bore bevel Ø6 - 8 - 10 - 12 - 14 and 16mm
- Stirrup with conical tool to avoid slippage



351061	
Pack Quantity	3



3 280023 510619 >



353061 - SWAGING TOOL

Specifications

- Allows the enlarging of re-fired copper pipes for fitting before welding
- For pipes of Ø8 to 16mm



For Annealed Copper Pipes

353061	
Pack Quantity	3



3 280023 530617 >



325161 - INNER AND OUTER PIPE CLEANER

Specifications

- Professional quality tool
- For cleaning the inside and outside of pipes
- 4 in 1 tool that is used on metal pipes
- Light plastic body
- Capacity: Ø1/2 in. to 3/4 inches (1,27 mm to 1,91 mm)



325161	
Pack Quantity	3



3 280023 251611 >



324961 - T-HANDLED REAMER

Specifications

- Steel deburrer for PEX & PEXAL pipes - Ø16 - 18 - 20 - 25mm
- Specially engineered to debur, chamfer and calibrate PEX and PEXAL pipes in order to obtain the right diameter while assembling pipes and tubes.



PER PEX Multilayered (PEXAL)



324961
Pack Quantity 3

3 280023 249618 >

325061 - INNER AND OUTER REAMER

Specifications

- Professional quality tool
- Gives fast professional reaming to the interior and exterior of pipes
- Can be used on copper or PVC pipes
- Metal body parts
- Capacity: Ø3 to 40mm



PER PEX PVC



325061
Pack Quantity 3

3 280023 250614 >

310061 - TAP RE-SEATER TOOL

Specifications

- For repairing taps
- To descale and re-cut worn tap seats
- Size of the 3 cutters: Ø13,15 and 17mm



310061
Pack Quantity 3

3 280023 100612 >

356761 - TAP AERATOR SPANNER

Specifications

- To tighten and untighten tap aerators
- Supplied with a key for tightening and loosening radiator valves
- Available sizes Ø22, 24 and 28mm



356761
Pack Quantity 6

3 280023 567613 >

350361 - BASIN WRENCH SWIVEL HEAD

Specifications

- To tighten and loosen nuts and joins of kitchen sinks, bathtubs and bidets
- Handy tool for working in restricted areas
- Mobile jaw revolving on 180°
- Opening capacity: Ø35mm
- Length: 290 mm



350361
Pack Quantity 3

3 280023 503611 >

354561 - TELESCOPIC BASIN WRENCHER

Specifications

- To tighten and loosen nuts and joins of kitchen sinks, bathtubs and bidets
- Handy tool for working in restricted areas
- Telescopic handle from 250 to 430mm (in 4 positions)
- Mobile jaw revolving on 180°
- Opening capacity: Ø25 to 48 mm
- Length: 460mm




354561
Pack Quantity 3

3 280023 545611 >

355061 - SPECIAL BASIN WRENCH FOR MIXER TAPS

Specifications

- Designed to easily attach and dismantle taps under sinks
- Lightweight design for accessing nuts in difficult places
- Suitable for any type of tap
- Wrench sleeve: 13mm
- Case drills Ø10 - 11 - 14mm



355061
Pack Quantity 3

3 280023 555610 >

325361 - RUBBER STRAP WRENCH

Specifications

- For tightening and un-tightening, easily and cleanly
- Handy tool for working in restricted spaces
- Adapts to any shape
- Won't scratch or mar delicate surfaces
- Resistant rubber strap
- Plastic handle
- Capacity: Ø10 to 170mm
- Length: 150mm



325361
Pack Quantity 3

3 280023 253615 >

350561 - CHAIN PIPE WRENCH

Specifications

- For tightening and un-tightening large pipes or nuts
- Handy tool for working in restricted places
- Solid tool for powerful tightening
- Capacity: Ø10 to 127mm
- Length: 300mm



350561

Pack Quantity 3



3 280023 505615 >

PIPE WRENCH - 365560 - 1", 365660 - 1 1/2", 365760 - 2"

Specifications

- Recommended for chrome-plated taps
- Swan neck pliers 45° anti-slip
- Forged steel jaws
- Wheel tightening for more safety
- Comfortable handle



365560

Capacity 1" (25mm)

Length 320mm

Pack Quantity 1



3 280023 655600 >

365660

Capacity 1 1/2" (37mm)

Length 430mm

Pack Quantity 1



3 280023 656607 >

365760

Capacity 2" (50mm)

Length 560mm

Pack Quantity 1



3 280023 657604 >

STILLSON PIPE WRENCH - 365260 - 1 1/4", 365460 - 1 1/2", 365860 - 2"

Specifications

- Adjustable pliers for seizing and turning tubes, for tightening and untightening nuts
- Very resistant and easy to handle
- Great tightening capacity without danger of slipping
- Steel forged handle and toothed jaws



365260

Capacity 1 1/4" (30mm)

Length 12" (300mm)

Pack Quantity 1



3 280023 652609 >

365460

Capacity 1 1/2" (37mm)

Length 14" (350mm)

Pack Quantity 1



3 280023 654603 >

365860

Capacity 2" (50mm)

Length 18" (450mm)

Pack Quantity 1



3 280023 658601 >

350761 - WIDE JAW PLUMBING PLIERS

Specifications

- For loosening and tightening nuts and caps that are difficult to access
- Rounded jaws adapted to sanitary installations
- Four positions
- Large capacity: Ø18 to 70mm
- Length: 235mm



350761

Pack Quantity 3



3 280023 507619 >

355460 - AIR PISTOL UNBLOCKER

Specifications

- To unblock pipes easily by propelling a jet of compressed air
- Supplied with 4 suction cups: Ø5, 6, 11,5 and 20cm



355460

Pack Quantity 1




3 280023 554606 >

360760 - COMPRESSION PIPE CRIMPING TOOL SET FOR MULTILAYERED PIPES

Specifications

- To connect multilayered (PEXAL) pipes
- Clamping by compression for an optimum result. Manual crimping pliers
- Interchangeable jaws type TH Ø12, 16, 20 and 26mm
- Special multi-layered
- Tool box (For transportation)



360760

Pack Quantity 1



3 280023 607609 >



Multilayered (PEXAL)

360660 - PEX PIPES CRIMPING TOOL SET

Specifications

- Professional quality kit to link PEX tubes by sliding system
- Simple and fast installation.
- Strong reduction due to the trammel system

Set Contents:

- 1 set of clamping pliers to stamp connections of 25mm diameter with soft grip handle
- 1 set of dies for diameters of 12, 16 and 20mm and 2 end tips
- 1 flaring tool for Ø12 mm to 25mm pipes
- 1 PVC and PER tube cutter, capacity 42mm
- Storage case size: 370 x 270 x 60mm



360660

Pack Quantity 1



3 280023 606602 >



PER PEX

PVC

360761 - MULTI-LAYER PIPE CRIMPING SET

Specifications

- Long handle (35cm) for optimum crimping force
- Total length of pliers 53cm
- Interchangeable TH and U type jaws 12, 16, 20 and 26mm
- Handle opening adjustment screw
- Tool box (For transportation)



360761

Pack Quantity 1



3 280023 607616 >




PER PEX

PVC

TILING TOOLS									
REF	PAGE	REF	PAGE	REF	PAGE	REF	PAGE	REF	PAGE
449312	10	311032	27	T3243010	39	219941	43	720050	52
449012	11	200731	28	210641	39	341341	44	740050	52
447112	12	261231	28	T3243030	39	268841	44	268640	53
401112	13	261831	28	212541	40	262741	44	263040	53
446012	16	261931	28	213541	40	262641	44	263540	53
444912	17	144031	28	214541	40	262541	45	280140	53
443012	14	220231	28	215541	40	265041	45	284040	54
442012	15	261731	28	215841	40	267441	46	342740	54
027422	18	201131	28	213341	40	268141	46	342840	54
016422	18	234131	28	211541	40	267641	46	790050	54
027522	18	T3260090	29	101502	41	268241	47	101040	55
017522	18	T3526040	29	102505	41	270741	46	100840	55
016522	18	T3260160	29	266441	41	268141	46	263940	55
027722	18	T3260120	29	266841	41	266941	47	200240	56
016722	18	451010	30	T3242800	41	267741	47	341240	56
010822	19	281140	30	101503	41	263641	47	342141	56
010922	19	281240	30	216241	41	340440	48	740040	56
011022	19	T5231700	31	266541	41	340740	48	342940	57
T5600500	18	455010	32	270341	41	342541	49	706040	57
T5600750	18	T5183910	34	T3242810	41	342241	49	708040	57
T5852110	19	300640	34	102504	41	269141	49	287140	58
T5802410	19	T3491210	35	266341	41	780050	49	287240	58
T3110900	22	T3491220	35	266441	41	300540	50	287040	58
T3110750	22	T3491230	35	218042	42	300040	50	T3499540	58
T3110600	22	T3491240	35	218142	42	300142	50		
201132	23	T3491250	35	218241	42	410040	50	270041	59
202232	23	T3491260	35	218142	42	285140	51	270941	59
T3120010	24	T3491270	35	218341	42	235340	51	391941	59
T3120020	24	T3491280	35	218342	43	285440	51	341441	59
081032	25	T5187250	35	218941	43	283540	51	270941	59
061032	25	T3491310	35	219241	43	235240	51	391941	59
047032	26	259641	38	219341	43	270440	52	341441	59
243032	26	T3243020	39	219441	47	760050	52		
232032	26	T3243020	39	219541	47	200550	52		

PLUMBING TOOLS			
REF	PAGE	REF	PAGE
355560	62	352261	68
355760	62	352361	68
356060	62	352461	68
414060	62	356861	68
411060	62	351261	68
325261	62	350161	69
351161	63	351061	69
352561	63	353061	69
355861	63	325161	69
355061	63	324961	70
355161	63	325061	70
355261	63	310061	70
355361	63	356761	70
355960	64	350361	71
355960	64	354561	71
413060	64	355561	71
321061	64	325361	71
323861	65	350561	72
323961	65	365560	72
320461	65	365660	72
320761	65	365760	72
320061	66	365260	72
321161	66	365460	73
320861	66	350761	73
320561	66	355460	73
351761	67	360660	73
351861	67	360760	73
351961	67	360761	73
352061	67		
356161	67		
356261	67		
356361	67		
356561	67		
352161	68		



**CONTACT
US!**

Spear & Jackson UK Ltd.

Atlas Way, Atlas North
Sheffield S4 7QQ
England

Tel: +44 (0)1142 814242

Fax: +44 (0)1142 814252

Email: sales@spear-and-jackson.com

www.spear-and-jackson.com

Spear & Jackson France

Le Coin, 42400 Saint Chamond
ZI BP 82, St Chamond, France

Spear & Jackson
Since 1760

SPEAR & JACKSON products are guaranteed against defects in manufacturing, subject to wear and tear and the provision of reasonable care and maintenance.

This does not affect your statutory rights.

Due to continuous product development and improvement, Spear & Jackson reserves the right to modify product design, specifications and materials without prior notice.

Prices correct at publication but may be subject to change